

This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Date of compilation	on: 15/05/2023	Revisior	n: 15/05,	/2023	Version: 01		
SECTION 1: COMPANY/UNDE	IDENTIFICATION RTAKING	OF	THE	SUBSTANC	CE/MIXTURE	AND	THE
1.1. Product ident Xtreme Xtracol C2							
<b>1.2. Relevant iden</b> Relevant uses: Cor		t. (See Te	echnical	Data Sheet).	Exclusive prof		use.

The second of the subbuild of t	
Name:	Tika for Construction Materials Manufacturing
Address:	ALLUWAYFIA, AJDABYA ROAD, BENGHAZI, LIBYA
Comtact e-mail:	info@tika-cc.com
Web site:	www.tika.ly
Phone:	0915730333

1.4. Emergency telephone number: 0915730333 (09:00-13:30 - 16:00-19:00)

# SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:
CLP Regulation (EC) No 1272/2008:
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
Eye Dam. 1: Serious eye damage, Category 1, H318
Skin Irrit. 2: Skin irritation, Category 2, H315
Skin Sens. 1B: Sensitisation, skin, Category 1B, H317
STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335

2.2. Label elements: CLP Regulation (EC) No 1272/2008: Danger





This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# Hazard statements:

Eye Dam. 1: H318 - Causes serious eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1B: H317 - May cause an allergic skin reaction. STOT SE 3: H335 - May cause respiratory irritation.

# **Precautionary statements:**

P101: If medical advice is needed, have a product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/respiratory protection/eye

protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

# Substances that contribute to the classification

Cement, portland, chemicals Safety data sheet available to the professional user who requests it.

# 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria The product fails to meet the criteria due to its endocrine-disrupting properties.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Solution of additives, aggregates and cements

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	C	Concentration	
CAS: 65997-	Cement, portland		
15-1		Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin	
CE: 266-043-4		Sens. 1: H317; STOT SE 3: H335-Danger	
Index: Non-	Regulation		10-50 %
applicable	1272/2008	× ×	
REACH: Non-			
applicable			

<sup>1</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

Non-applicable



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# 5.2 Special hazards arising from the substance or mixture:

The product is not flammable, it is not explosive, nor does it facilitate the combustion of other materials.

In a fire, in case of incomplete combustion, the dangerous gases that are produced may contain carbon monoxide and carbon dioxide. Exposure to decomposition products produced by fire can be harmful to health.

# 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

# Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Sweep up and collect the product with shovels or other means and place it in a container for reuse (preferred) or disposal. See sections 8 and 13.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

#### 6.4 Reference to other sections:

See sections 8 and 13.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling:

#### A. Precautions for safe manipulation:

Use in ventilated areas. Avoid the formation and accumulation of dust.

Comply with current legislation on occupational hazards in terms of manual handling of loads. Maintain order and cleanliness and dispose of by safe methods (section 6).



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# B. Technical recommendations for the prevention of fires and explosions:

Non-flammable product under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that could affect flammable products. Consult section 10 on conditions and materials that must be avoided.

#### C. Technical recommendations to prevent ergonomic and toxicological risks:

For exposure control see section 8. Do not eat, drink or smoke in work areas; wash hands after each use and remove contaminated clothing and protective equipment before entering eating areas.

#### D. Technical recommendations to prevent environmental risks:

Under community environmental protection legislation, it is recommended to avoid dumping both the product and its packaging into the environment. It is recommended to have absorbent material in the vicinity of the product.

# 7.2. Conditions for safe storage, including any incompatibilities:

A. Technical measures for storage: Classification: Not relevant Minimum Temp: 5°C Maximum Temp: 40°C

B. General conditions for storage:

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 Keep the container tightly sealed and protected from open air and humidity.

#### 7.3. Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m<sup>3</sup> // Respirable dust 4 mg/m<sup>3</sup>

DNEL (Workers):

Non-applicable

#### DNEL (General population):

Non-applicable

**PNEC:** Non-applicable



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# 8.2 Exposure controls:

A. Individual protection measures, such as personal protective equipment:

s a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B. Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remaks
Mandatory respiratory tract protection	Filter mask for gases, vapours and particles	CE Mark CAT III	EN 149 EN 405 EN ISO 136	Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.

C. Specific protection for the hands:

Pictogram	PPE	Labelling	CEN Standard	Remaks
Protección obligatoria de las manos	Protective gloves against minor risks	CE Mark CAT I		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN ISO 374-1

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

D. Ocular and facial protection:

Pictogram	PPE	Labelling	CEN Standard	Remaks
Mandatory face protection	Panoramic glasses against splash/projections.	CE Mark CAT II	EN 166 EN ISO 4007	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E. Body protection:

Pictogram	PPE	Labelling	CEN Standard	Remaks
				eplace before any
				evidence of
				deterioration. For
				periods of prolonged
				exposure to the
		CE Marking		product for
	Work clothing	CE Marking CAT I		professional/industrial
		CATT		users CE III is
				recommended, in
				accordance with the
				regulations in EN ISO
				6529, EN ISO 6530, EN
				ISO 13688, EN 464.
				Replace before any
				evidence of
				deterioration. For
				periods of prolonged
				exposure to the
	Anti-slip work	CE Marking	EN ISO 20347	product for
	shoes	CAT II		professional/industrial
				users CE III is
				recommended, in
				accordance with the
				regulations in EN ISO
				20345 y EN 13832-1

F. Additional emergency measures:

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1 ISO 3864-4	Eyewash stations	DIN 12 899 ISO 3864-1 ISO 3864-4



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

#### Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C (Supply): 0 % weight V.O.C. Density at 20°C: 0 kg/m<sup>3</sup> (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

#### Appearance:

Physical state at 20 °C: Solid Appearance: Powdery Colour: Not available Odour: Not available Odour threshold: Non-applicable \*

#### Volatility:

Boiling point at atmospheric pressure: Non-applicable \* Vapour pressure at 20 °C: Non-applicable \* Vapour pressure at 50 °C: Non-applicable \* Evaporation rate at 20 °C: Non-applicable \*

#### **Product description:**

Density at 20 °C: Non-applicable \* Relative density at 20 °C: Non-applicable \* Dynamic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 40 °C: Non-applicable \* Concentration: Non-applicable \* PH: Non-applicable \* Vapour density at 20 °C: Non-applicable \* Partition coefficient n-octanol/water 20 °C: Non-applicable \* Solubility in water at 20 °C: Non-applicable \* Solubility properties: Non-applicable \* Decomposition temperature: Non-applicable \* Melting point/freezing point: Non-applicable \*



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### Flammability:

Flash Point: Non-applicable \* Flammability (solid, gas): Non-applicable \* Autoignition temperature: Non-applicable \* Lower flammability limit: Non-applicable \* Upper flammability limit: Non-applicable \*

#### **Explosive:**

Lower explosive limit: Non-applicable \* Upper explosive limit: Non-applicable \*

#### Particle characteristics:

Median equivalent diameter:

\*Not relevant due to the nature of the product, not providing information property of its hazards.

#### 9.2 Other information:

#### Information with regard to physical hazard classes:

Explosive properties: Non-applicable \* Oxidising properties: Non-applicable \* Corrosive to metals: Non-applicable \* Heat of combustion: Non-applicable \* Aerosols-total percentage (by mass) of flammable components: Non-applicable \*

#### Other safety characteristics:

Surface tension at 20 °C: Non-applicable \* Refraction index: Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

#### SECTION 10: STABILITY AND REACTIVITY

#### **Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### **10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Shock and	Contact with air	Increase in	Sunlight	Humidity
friction		temperture		
Not applicable	Not applicable	Not applicable	Not applicable	Avoid direct
				impact

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible Materials	Others
Incompatible	Avoid direct contact	Not applicable	Not applicable	Base metal salts (Al, MH4,)

#### **10.6 Hazardous decomposition products:**

See section 10.3, 10.4 and 10.5 to know the decomposition products specifically. Depending on the decomposition conditions, complex mixtures of chemicals can be released as a result of decomposition: carbon dioxide (CO2), carbon monoxide and other organic compounds.

#### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available.

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

#### A-Ingestion (acute effect):

Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.

Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

#### B-Inhalation (acute effect):

Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3. Corrosivity/Irritability: Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

C-Contact with the skin and the eyes (acute effect): Contact with the skin: Produces skin inflammation.

Contact with the eyes: Produces serious eye damage after contact.



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

D-CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

E-Sensitizing effects:

Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F-Specific target organ toxicity (STOT) - single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

G-Specific target organ toxicity (STOT)-repeated exposure:

Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H-Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### Other information:

Contact with human skin, without adequate protection, can result in skin thickening, cracking, or fissuring.

#### Specific toxicology information on the substances:

Not available

#### **11.2 Information on other hazards:**

Endocrine disrupting properties The product fails to meet the criteria due to its endocrine-disrupting properties.

# Other information

Non-applicable



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available.

# 12.1 Toxicity:

Not available

# 12.2 Persistence and degradability:

Not available

# 12.3 Bioaccumulative potential:

Not available

# 12.4 Mobility in soil:

Not available

# 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria 12.6 Endocrine disrupting properties: The product fails to meet the criteria due to its endocrine-disrupting properties.

# 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1** Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 03 03*	Inorganic wastes containing hazardous substances	Dangerous

Product - Cement that has exceeded its useful life: 10 13 99 Product - Unused residue or dry spill: 10 13 06 Product - after addition of water, hardened: 10 13 14, 17 01 01

#### Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated. Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

#### **SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID, IMDG, IATA)

# **SECTION 15: REGULATORY INFORMATION**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc...):

1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.

2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Regulation (CE) No. 1272/2008 of the European Parliament and of the Council, of December 16, 2008, on the classification, labeling and packaging of substances and mixtures, and by which Directives 67/548/CEE and 1999 are modified and repealed /45/CE and modifies Regulation (CE) No 1907/2006 and all its subsequent modifications.

# 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

#### **SECTION 16: OTHER INFORMATION**

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

# Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878 CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Precautionary statements:

#### Texts of the legislative phrases mentioned in section 2:

- H315: Causes skin irritation. H318: Causes serious eye damage. H335: May cause respiratory irritation.
- H317: May cause an allergic skin reaction.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3.

#### CLP Regulation (EC) No 1272/2008:

Eye Dam. 1: H318 - Causes serious eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1B: H317 - May cause an allergic skin reaction. STOT SE 3: H335 - May cause respiratory irritation.

#### **Classification procedure:**

Skin Irrit. 2: Calculation method Eye Dam. 1: Calculation method STOT SE 3: Calculation method Skin Sens. 1B: Calculation method



This SDS is based in an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu Regulation (EU) 2020/878. Regulation (EC) No 1907/2006 Regulation (EU) No 1272/2008

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand **BCF: Bioconcentration factor** LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer SDS: Safety Data Sheet UFI: Unique formula Identifier

The information provided in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of June 18, 2020, which modifies Annex II of Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the registration, evaluation, authorization and restriction of chemical substances and mixtures (REACH).

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF SAFETY DATA SHEET